


**BASELINE VIEW**



**VIEWPOINT 1 RENTON BARN**  
 GRID REFERENCE: E:382387, N:665910  
 CAMERA ELEVATION: 1.50M ABOVE GROUND LEVEL  
 DISTANCE FROM NEAREST EDGE OF PROPOSED DEVELOPMENT SITE: 1.101KM  
 ELEVATION: 159M AOD



PROJECTION: CYLINDRICAL  
 ENLARGEMENT FACTOR: 96% AT A1  
 VIEW AT COMFORTABLE ARM'S LENGTH  
 TO BE PRINTED AT A1 FOR ASSESSMENT PURPOSES  
 VIEWING BOX INCORPORATES UP TO 90° HORIZONTAL FIELD OF VIEW

DATE AND TIME OF PHOTOGRAPHY: 22/08/2023 TAKEN AT 16:38  
 MAKE AND MODEL OF CAMERA: CANON EOS 5D  
 MAKE AND FOCAL LENGTH OF LENS: CANON 50MM  
 DIRECTION OF VIEW: EAST

**TYPE 4 VISUALISATION**  
 SUMMER PHOTOGRAPHY

**SLR** **Eurowind Energy**  
HOWPARK SOLAR FARM, GRANTSHOUSE.  
 JOB NO: 428.V164539.00001 REVISION: 0  
 DATE: 22/09/2023 DRAWN: MD CHECKED: MB APPROVED: MB  
**VIEWPOINT 1** **FIGURE L-07 A**

**PHOTOMONTAGE**



**VIEWPOINT 1 RENTON BARN**  
 GRID REFERENCE: E:382387, N:665910  
 CAMERA ELEVATION: 1.50M ABOVE GROUND LEVEL  
 DISTANCE FROM NEAREST EDGE OF PROPOSED DEVELOPMENT SITE: 1.101KM  
 ELEVATION: 159M AOD



PROJECTION: CYLINDRICAL  
 ENLARGEMENT FACTOR: 96% AT A1  
 VIEW AT COMFORTABLE ARM'S LENGTH  
 TO BE PRINTED AT A1 FOR ASSESSMENT PURPOSES  
 VIEWING BOX INCORPORATES UP TO 90° HORIZONTAL FIELD OF VIEW

DATE AND TIME OF PHOTOGRAPHY: 22/08/2023 TAKEN AT 16:38  
 MAKE AND MODEL OF CAMERA: CANON EOS 5D  
 MAKE AND FOCAL LENGTH OF LENS: CANON 50MM  
 DIRECTION OF VIEW: EAST

**TYPE 4 VISUALISATION**  
 SUMMER PHOTOGRAPHY


**SLR** **Eurowind Energy**  
HOWPARK SOLAR FARM, GRANTSHOUSE.  
 JOB NO: 428.V164539.00001 REVISION: 0  
 DATE: 22/09/2023 DRAWN: MD CHECKED: MB APPROVED: MB  
**VIEWPOINT 1** **FIGURE L-07 B**



**BASELINE VIEW**



**VIEWPOINT 2** UPPER HOWPARK ROAD / JUNCTION PROW TO COLDDINGHAM  
 GRID REFERENCE: E:383189, N:667472  
 CAMERA ELEVATION: 1.50M ABOVE GROUND LEVEL  
 DISTANCE FROM NEAREST EDGE OF PROPOSED DEVELOPMENT SITE: 0.97KM  
 ELEVATION: 244M AOD



PROJECTION: CYLINDRICAL  
 ENLARGEMENT FACTOR: 96% AT A1  
 VIEW AT COMFORTABLE ARM'S LENGTH  
 TO BE PRINTED AT A1 FOR ASSESSMENT PURPOSES  
 VIEWING BOX INCORPORATES UP TO 90° HORIZONTAL FIELD OF VIEW

DATE AND TIME OF PHOTOGRAPHY: 13/08/2023 TAKEN AT 17:34  
 MAKE AND MODEL OF CAMERA: CANON EOS 5D  
 MAKE AND FOCAL LENGTH OF LENS: CANON 50MM  
 DIRECTION OF VIEW: SOUTH EAST

**TYPE 4 VISUALISATION**  
 SUMMER PHOTOGRAPHY

**SLR** Eurowind Energy  
HOWPARK SOLAR FARM, GRANTSHOUSE.  
 JOB NO: 428.V164539.00001 REVISION: 0  
 DATE: 22/09/2023 DRAWN: MD CHECKED: MB APPROVED: MB  
**VIEWPOINT 2** **FIGURE L-08 A**

**PHOTOMONTAGE**



**VIEWPOINT 2** UPPER HOWPARK ROAD / JUNCTION PROW TO COLDDINGHAM  
 GRID REFERENCE: E:383189, N:667472  
 CAMERA ELEVATION: 1.50M ABOVE GROUND LEVEL  
 DISTANCE FROM NEAREST EDGE OF PROPOSED DEVELOPMENT SITE: 0.97KM  
 ELEVATION: 244M AOD



PROJECTION: CYLINDRICAL  
 ENLARGEMENT FACTOR: 96% AT A1  
 VIEW AT COMFORTABLE ARM'S LENGTH  
 TO BE PRINTED AT A1 FOR ASSESSMENT PURPOSES  
 VIEWING BOX INCORPORATES UP TO 90° HORIZONTAL FIELD OF VIEW

DATE AND TIME OF PHOTOGRAPHY: 13/08/2023 TAKEN AT 17:34  
 MAKE AND MODEL OF CAMERA: CANON EOS 5D  
 MAKE AND FOCAL LENGTH OF LENS: CANON 50MM  
 DIRECTION OF VIEW: SOUTH EAST

**TYPE 4 VISUALISATION**  
 SUMMER PHOTOGRAPHY

**SLR** Eurowind Energy  
HOWPARK SOLAR FARM, GRANTSHOUSE.  
 JOB NO: 428.V164539.00001 REVISION: 0  
 DATE: 22/09/2023 DRAWN: MD CHECKED: MB APPROVED: MB  
**VIEWPOINT 2** **FIGURE L-08 B**



**BASELINE VIEW**



VIEWPOINT 3 LOWER HOWPARK ROAD  
 GRID REFERENCE: E:382788, N:666882  
 CAMERA ELEVATION: 1.50M ABOVE GROUND LEVEL  
 DISTANCE FROM NEAREST EDGE OF PROPOSED DEVELOPMENT SITE: 0.75KM  
 ELEVATION: 191M AOD



PROJECTION: CYLINDRICAL  
 ENLARGEMENT FACTOR: 96% AT A1  
 VIEW AT COMFORTABLE ARM'S LENGTH  
 TO BE PRINTED AT A1 FOR ASSESSMENT PURPOSES  
 VIEWING BOX INCORPORATES UP TO 90° HORIZONTAL FIELD OF VIEW

DATE AND TIME OF PHOTOGRAPHY: 22/08/2023 TAKEN AT 17:21  
 MAKE AND MODEL OF CAMERA: CANON EOS 5D  
 MAKE AND FOCAL LENGTH OF LENS: CANON 50MM  
 DIRECTION OF VIEW: SOUTH EAST

**TYPE 4 VISUALISATION**  
 SUMMER PHOTOGRAPHY

**SLR** **Eurowind Energy.**  
HOWPARK SOLAR FARM, GRANTSHOUSE.  
 JOB NO: 428.V164539.00001 REVISION: 0  
 DATE: 22/09/2023 DRAWN: MD CHECKED: MB APPROVED: MB  
**VIEWPOINT 3** **FIGURE L-09 A**

**PHOTOMONTAGE**



VIEWPOINT 3 LOWER HOWPARK ROAD  
 GRID REFERENCE: E:382788, N:666882  
 CAMERA ELEVATION: 1.50M ABOVE GROUND LEVEL  
 DISTANCE FROM NEAREST EDGE OF PROPOSED DEVELOPMENT SITE: 0.75KM  
 ELEVATION: 191M AOD



PROJECTION: CYLINDRICAL  
 ENLARGEMENT FACTOR: 96% AT A1  
 VIEW AT COMFORTABLE ARM'S LENGTH  
 TO BE PRINTED AT A1 FOR ASSESSMENT PURPOSES  
 VIEWING BOX INCORPORATES UP TO 90° HORIZONTAL FIELD OF VIEW

DATE AND TIME OF PHOTOGRAPHY: 22/08/2023 TAKEN AT 17:21  
 MAKE AND MODEL OF CAMERA: CANON EOS 5D  
 MAKE AND FOCAL LENGTH OF LENS: CANON 50MM  
 DIRECTION OF VIEW: SOUTH EAST

**TYPE 4 VISUALISATION**  
 SUMMER PHOTOGRAPHY

**SLR** **Eurowind Energy.**  
HOWPARK SOLAR FARM, GRANTSHOUSE.  
 JOB NO: 428.V164539.00001 REVISION: 0  
 DATE: 22/09/2023 DRAWN: MD CHECKED: MB APPROVED: MB  
**VIEWPOINT 3** **FIGURE L-09 B**



**BASELINE VIEW**



**VIEWPOINT 4 SOUTHERN UPLAND WAY ABOVE HARELAWSIDE**  
 GRID REFERENCE: E:380919, N:666143  
 CAMERA ELEVATION: 1.50M ABOVE GROUND LEVEL  
 DISTANCE FROM NEAREST EDGE OF PROPOSED DEVELOPMENT SITE: 2.538KM  
 ELEVATION: 185M AOD



PROJECTION: CYLINDRICAL  
 ENLARGEMENT FACTOR: 96% AT A1  
 VIEW AT COMFORTABLE ARM'S LENGTH  
 TO BE PRINTED AT A1 FOR ASSESSMENT PURPOSES  
 VIEWING BOX INCORPORATES UP TO 90° HORIZONTAL FIELD OF VIEW

DATE AND TIME OF PHOTOGRAPHY: 13/08/2023 TAKEN AT 16:45  
 MAKE AND MODEL OF CAMERA: CANON EOS 5D  
 MAKE AND FOCAL LENGTH OF LENS: CANON 50MM  
 DIRECTION OF VIEW: EAST

**TYPE 4 VISUALISATION**  
 SUMMER PHOTOGRAPHY

**SLR** **Eurowind Energy.**  
HOWPARK SOLAR FARM, GRANTSHOUSE.  
 JOB NO: 428.V164539.00001 REVISION: 0  
 DATE: 22/09/2023 DRAWN: MD CHECKED: MB APPROVED: MB  
**VIEWPOINT 4** **FIGURE L-10 A**

**PHOTOMONTAGE**



**VIEWPOINT 4 SOUTHERN UPLAND WAY ABOVE HARELAWSIDE**  
 GRID REFERENCE: E:380919, N:666143  
 CAMERA ELEVATION: 1.50M ABOVE GROUND LEVEL  
 DISTANCE FROM NEAREST EDGE OF PROPOSED DEVELOPMENT SITE: 2.538KM  
 ELEVATION: 185M AOD



PROJECTION: CYLINDRICAL  
 ENLARGEMENT FACTOR: 96% AT A1  
 VIEW AT COMFORTABLE ARM'S LENGTH  
 TO BE PRINTED AT A1 FOR ASSESSMENT PURPOSES  
 VIEWING BOX INCORPORATES UP TO 90° HORIZONTAL FIELD OF VIEW

DATE AND TIME OF PHOTOGRAPHY: 13/08/2023 TAKEN AT 16:45  
 MAKE AND MODEL OF CAMERA: CANON EOS 5D  
 MAKE AND FOCAL LENGTH OF LENS: CANON 50MM  
 DIRECTION OF VIEW: EAST

**TYPE 4 VISUALISATION**  
 SUMMER PHOTOGRAPHY

**SLR** **Eurowind Energy.**  
HOWPARK SOLAR FARM, GRANTSHOUSE.  
 JOB NO: 428.V164539.00001 REVISION: 0  
 DATE: 22/09/2023 DRAWN: MD CHECKED: MB APPROVED: MB  
**VIEWPOINT 4** **FIGURE L-10 B**



**BASELINE VIEW**



**VIEWPOINT 5 LOCAL ROAD NEAR BUTTERDENE**  
 GRID REFERENCE: E:379885, N:665046  
 CAMERA ELEVATION: 1.50M ABOVE GROUND LEVEL  
 DISTANCE FROM NEAREST EDGE OF PROPOSED DEVELOPMENT SITE: 3.80KM  
 ELEVATION: 162M AOD



PROJECTION: CYLINDRICAL  
 ENLARGEMENT FACTOR: 96% AT A1  
 VIEW AT COMFORTABLE ARM'S LENGTH  
 TO BE PRINTED AT A1 FOR ASSESSMENT PURPOSES  
 VIEWING BOX INCORPORATES UP TO 90° HORIZONTAL FIELD OF VIEW

DATE AND TIME OF PHOTOGRAPHY: 13/08/2023 TAKEN AT 17:14  
 MAKE AND MODEL OF CAMERA: CANON EOS 5D  
 MAKE AND FOCAL LENGTH OF LENS: CANON 50MM  
 DIRECTION OF VIEW: EAST

**TYPE 4 VISUALISATION**  
 SUMMER PHOTOGRAPHY

**SLR** **Eurowind Energy.**  
HOWPARK SOLAR FARM, GRANTSHOUSE.  
 JOB NO: 428.V64539.00001 REVISION: 0  
 DATE: 22/09/2023 DRAWN: MD CHECKED: MB APPROVED: MB  
**VIEWPOINT 5** **FIGURE L-11 A**

**PHOTOMONTAGE**



**VIEWPOINT 5 LOCAL ROAD NEAR BUTTERDENE**  
 GRID REFERENCE: E:379885, N:665046  
 CAMERA ELEVATION: 1.50M ABOVE GROUND LEVEL  
 DISTANCE FROM NEAREST EDGE OF PROPOSED DEVELOPMENT SITE: 3.80KM  
 ELEVATION: 162M AOD



PROJECTION: CYLINDRICAL  
 ENLARGEMENT FACTOR: 96% AT A1  
 VIEW AT COMFORTABLE ARM'S LENGTH  
 TO BE PRINTED AT A1 FOR ASSESSMENT PURPOSES  
 VIEWING BOX INCORPORATES UP TO 90° HORIZONTAL FIELD OF VIEW

DATE AND TIME OF PHOTOGRAPHY: 13/08/2023 TAKEN AT 17:14  
 MAKE AND MODEL OF CAMERA: CANON EOS 5D  
 MAKE AND FOCAL LENGTH OF LENS: CANON 50MM  
 DIRECTION OF VIEW: EAST

**TYPE 4 VISUALISATION**  
 SUMMER PHOTOGRAPHY

**SLR** **Eurowind Energy.**  
HOWPARK SOLAR FARM, GRANTSHOUSE.  
 JOB NO: 428.V64539.00001 REVISION: 0  
 DATE: 22/09/2023 DRAWN: MD CHECKED: MB APPROVED: MB  
**VIEWPOINT 5** **FIGURE L-11 B**



**BASELINE VIEW**



**VIEWPOINT 6** HIGHVIEW CARAVAN PARK  
 GRID REFERENCE: E:384597, N:666389  
 CAMERA ELEVATION: 1.50M ABOVE GROUND LEVEL  
 DISTANCE FROM NEAREST EDGE OF PROPOSED DEVELOPMENT SITE: 240M  
 ELEVATION: 225M AOD



PROJECTION: CYLINDRICAL  
 ENLARGEMENT FACTOR: 96% AT A1  
 VIEW AT COMFORTABLE ARM'S LENGTH  
 TO BE PRINTED AT A1 FOR ASSESSMENT PURPOSES  
 VIEWING BOX INCORPORATES UP TO 90° HORIZONTAL FIELD OF VIEW

DATE AND TIME OF PHOTOGRAPHY: 13/08/2023 TAKEN AT 18:01  
 MAKE AND MODEL OF CAMERA: CANON EOS 5D  
 MAKE AND FOCAL LENGTH OF LENS: CANON 50MM  
 DIRECTION OF VIEW: WEST

**TYPE 4 VISUALISATION**  
 SUMMER PHOTOGRAPHY

**SLR** Eurowind Energy  
HOWPARK SOLAR FARM, GRANTSHOUSE.  
 JOB NO: 428.V164539.00001 REVISION: 0  
 DATE: 22/09/2023 DRAWN: MD CHECKED: MB APPROVED: MB  
**VIEWPOINT 6** **FIGURE L-12 A**

**PHOTOMONTAGE**



**VIEWPOINT 6** HIGHVIEW CARAVAN PARK  
 GRID REFERENCE: E:384597, N:666389  
 CAMERA ELEVATION: 1.50M ABOVE GROUND LEVEL  
 DISTANCE FROM NEAREST EDGE OF PROPOSED DEVELOPMENT SITE: 240M  
 ELEVATION: 225M AOD



PROJECTION: CYLINDRICAL  
 ENLARGEMENT FACTOR: 96% AT A1  
 VIEW AT COMFORTABLE ARM'S LENGTH  
 TO BE PRINTED AT A1 FOR ASSESSMENT PURPOSES  
 VIEWING BOX INCORPORATES UP TO 90° HORIZONTAL FIELD OF VIEW

DATE AND TIME OF PHOTOGRAPHY: 13/08/2023 TAKEN AT 18:01  
 MAKE AND MODEL OF CAMERA: CANON EOS 5D  
 MAKE AND FOCAL LENGTH OF LENS: CANON 50MM  
 DIRECTION OF VIEW: WEST

**TYPE 4 VISUALISATION**  
 SUMMER PHOTOGRAPHY

**SLR** Eurowind Energy  
HOWPARK SOLAR FARM, GRANTSHOUSE.  
 JOB NO: 428.V164539.00001 REVISION: 0  
 DATE: 22/09/2023 DRAWN: MD CHECKED: MB APPROVED: MB  
**VIEWPOINT 6** **FIGURE L-12 B**



# BASELINE VIEW



VIEWPOINT 7 LOCAL FOOTPATH SOUTH OF PROPOSED DEVELOPMENT  
GRID REFERENCE: E:383682, N:665914  
CAMERA ELEVATION: 1.50M ABOVE GROUND LEVEL  
DISTANCE FROM NEAREST EDGE OF PROPOSED DEVELOPMENT SITE: 162M  
ELEVATION: 219M AOD



PROJECTION: CYLINDRICAL  
ENLARGEMENT FACTOR: 96% AT A1  
VIEW AT COMFORTABLE ARM'S LENGTH  
TO BE PRINTED AT A1 FOR ASSESSMENT PURPOSES  
VIEWING BOX INCORPORATES UP TO 90° HORIZONTAL FIELD OF VIEW

DATE AND TIME OF PHOTOGRAPHY: 13/08/2023 TAKEN AT 18:52  
MAKE AND MODEL OF CAMERA: CANON EOS 5D  
MAKE AND FOCAL LENGTH OF LENS: CANON 50MM  
DIRECTION OF VIEW: NORTH

**TYPE 4 VISUALISATION**  
SUMMER PHOTOGRAPHY

**SLR** **Eurowind Energy.**  
HOWPARK SOLAR FARM, GRANTSHOUSE.  
JOB NO: 428.V164539.00001 REVISION: 0  
DATE: 22/09/2023 DRAWN: MD CHECKED: MB APPROVED: MB  
**VIEWPOINT 7** **FIGURE L-13 A**

# PHOTOMONTAGE



VIEWPOINT 7 LOCAL FOOTPATH SOUTH OF PROPOSED DEVELOPMENT  
GRID REFERENCE: E:383682, N:665914  
CAMERA ELEVATION: 1.50M ABOVE GROUND LEVEL  
DISTANCE FROM NEAREST EDGE OF PROPOSED DEVELOPMENT SITE: 162 M  
ELEVATION: 219M AOD



PROJECTION: CYLINDRICAL  
ENLARGEMENT FACTOR: 96% AT A1  
VIEW AT COMFORTABLE ARM'S LENGTH  
TO BE PRINTED AT A1 FOR ASSESSMENT PURPOSES  
VIEWING BOX INCORPORATES UP TO 90° HORIZONTAL FIELD OF VIEW

DATE AND TIME OF PHOTOGRAPHY: 13/08/2023 TAKEN AT 18:52  
MAKE AND MODEL OF CAMERA: CANON EOS 5D  
MAKE AND FOCAL LENGTH OF LENS: CANON 50MM  
DIRECTION OF VIEW: NORTH

**TYPE 4 VISUALISATION**  
SUMMER PHOTOGRAPHY

**SLR** **Eurowind Energy.**  
HOWPARK SOLAR FARM, GRANTSHOUSE.  
JOB NO: 428.V164539.00001 REVISION: 0  
DATE: 22/09/2023 DRAWN: MD CHECKED: MB APPROVED: MB  
**VIEWPOINT 7** **FIGURE L-13 B**